

Cumulative Index 2004

Volume 21

January	ARTHRODESIS TECHNIQUES, PART I, pages 1–160
April	ARTHRODESIS TECHNIQUES, PART II, pages 161–294
July	RECONSTRUCTION OF FAILED HINDFOOT, ANKLE AND LOWER LEG SURGERY, pages 295–476
October	MCCARTHY'S PRINCIPALS AND PRACTICE OF PODIATRIC ONYCHOPATHY, pages 477–711

Note: Page numbers of article titles are in **boldface** type.

A

- Absorbable fixation, for digital arthrodesis, 31–32
- Achilles tendon lengthening
 - in Charcot foot and ankle arthrodesis, 276
 - in metatarsocuneiform arthrodesis, 103
- Achilles tendonopathy, extracorporeal shockwave therapy for, 444–445
- AES/BIONET ankle implant, 400
- Agility ankle implant, 396–399
- Albatros ankle implant, 400
- Allograft bone grafts, 331–333
- Alphanorm ankle implant, 401
- Amorolfine, for onychomycosis, 560, 608
- Amputation
 - Chopart's, pantalar arthrodesis after, 462–463
 - distal Symes, for onychopathy, **689–696**
- Anesthesia, local, for pediatric patients, 647
- Angiography, magnetic resonance, in vascular tumors of nail, 505–506
- Angles, in radiography, 296–297
- Ankle
 - Charcot. *See* Charcot foot and ankle.
 - fractures of, malunion of, revision of, **385–391**

Ankle joint

- arthrodesis of, 10, **161–178**. *See also*
 - Pantalar arthrodesis.
 - anatomic considerations of, 162–163
 - biomechanics of, 162–163
 - complications of, 174
 - contraindications to, 164
 - external fixation for, 10
 - four-screw, 168, 170–173
 - indications for, 163–169
 - malunion of, **371–383**
 - angular, 379–380
 - classification of, 374–375
 - evaluation of, 372–374
 - infected, 376, 383
 - multiaxis, 381–382
 - nonsurgical treatment of, 375
 - radiography in, 374
 - recurrence of, 382
 - rotational, 379, 381
 - surgical treatment of, 376–383
 - translational, 379–380
 - principles of, 164, 167–168
 - results of, 174–176
 - revision, 252, 266–268
- deformities of, triple arthrodesis and, 209–210, 221
- normal alignment of, 298–299
- sprains of. *See* Subtalar joint, instability of.

- total arthroplasty of, implants for, **393-406**
 fixed bearing, 397-399
 historical review of, 394-395
 meniscus bearing, 395-397
 mobile bearing, 397, 399-404
- Anonychia, 642, 663-665
- Anoxia, at birth, nail disorders due to, 643-644
- Antibiotics
 for onychocryptosis, 621
 for osteomyelitis, 347-348
- Antifungal agents, for onychomycosis
 systemic/oral, **579-589, 591-604**
 topical, **605-615**
- Aplastic anonychia, 663-665
- Arthritis. *See also* Osteoarthritis;
 Rheumatoid arthritis.
 ankle arthrodesis for, 163-164
 metatarsocuneiform arthrodesis for, 98
 naviculocuneiform arthrodesis for, 142-145
 psoriatic, of interphalangeal joints, 529-530
 subtalar arthrodesis for, 180-181, 193
 talonavicular arthrodesis for, 229-230
- Arthrodesis
 ankle joint, malunion of, **371-383**
 block distraction, for failed calcaneal fractures, **241-250**
 calcaneocuboid, 7-10, 136-139.
See also Triple arthrodesis.
 Charcot foot and ankle, **271-289**
 cuboidometatarsal, 136-139
 digital, **17-50**
 external fixation for, **1-15, 83**
 first metatarsocuneiform, **97-111**
 first metatarsophalangeal, 4-5
 hindfoot, nonunion of. *See* Nonunion, of hindfoot arthrodesis.
 interphalangeal. *See also* Digital arthrodesis.
 hallux, **51-64**
 lateral column, 136-139
 metatarsophalangeal. *See also* Digital arthrodesis.
 first, **65-95**
 midtarsal, 6-7
 naviculocuneiform, **141-156**
 pantalar. *See* Pantalar arthrodesis.
 revision, **251-270**
 subtalar. *See* Subtalar joint, arthrodesis of; Triple arthrodesis.
 talonavicular. *See* Talonavicular joint, arthrodesis of.
 tarsometatarsal (Lisfranc), 5-6, 126
 tibiocalcaneal, 10-11
 tibiotalar. *See* Ankle, arthrodesis of.
 tibiotalarcalcaneal, 11-12
 triple. *See* Triple arthrodesis.
- Arthrography, in subtalar pathology, 190-191
- Arthroplasty, total ankle. *See* Ankle joint, total arthroplasty of.
- Arthrosis, after talonavicular arthrodesis, 236-238
- Aspergillus*, onychomycosis due to, 546-552
- Axis of correction of angulation, in osteotomy planning, 318
-
- ## B
-
- Beau's lines, 632, 642, 669-671
- Bifonazole, with urea ointment, for onychomycosis, 607-608
- Biomet Weil-Carver Hammertoe Implant, for arthrodesis, 36-37, 39-41, 44
- Biopsy
 bone, in osteomyelitis, 343-344
 nail, in onychomycosis, 570-571
- Biotin, for nail plate thickness enhancement, 667
- Birth, nail disorders related to, 643-644
- Bleomycin, for periungual verrucae, 659
- Block distraction arthrodesis, for failed calcaneal fractures, **241-250**
 materials and methods for, 244-247
 results of, 247-249
 technique for, 241-244
- Bone
 biopsy of, in osteomyelitis, 343-344
 healing of, 420-423
- Bone grafts, **327-334**
 allograft, 331-333
 autogenous, 328-331
 for arthrodesis nonunion, 435
 for Charcot foot and ankle arthrodesis, 276
 for first metatarsophalangeal arthrodesis, 66, 82
 for subtalar arthrodesis, 193, 242-244
 for triple arthrodesis, 221
 terminology of, 327-328
- Bone scintigraphy
 in arthrodesis nonunion, 427, 429
 in osteomyelitis, 339, 341
- Bone screw fixation. *See* Screw fixation.

- Bone stimulators, for arthrodesis nonunion, 430-432
- Broden's view, in radiography, 454-455
- Buechel-Pappas ankle implant, 395-396, 399
- Unionectomy, Lapidus (metatarsocuneiform arthrodesis), 97-111

C

- Calcaneocuboid joint**
arthrodesis of, 136-139. *See also*
Pantalar arthrodesis;
Triple arthrodesis.
external fixation for, 6-7
in triple arthrodesis, 7-10
pathologies of, 129-139
arthrodesis for, 136-139
treatment algorithm for, 133-138
types of, 129-133
- Calcaneofibular ligament**
anatomy of, 450
reconstruction of, in subtalar instability, 456-457
- Calcaneus**
anatomy of, 449
bone graft from, 330-331
deformities of, correction of, 316-317
fracture of
block distraction arthrodesis for, 241-250
subtalar arthrodesis for, 180-181, 193
normal alignment of, 299
osteotomy of
for triple arthrodesis revision, 408-412
with metatarsocuneiform arthrodesis, 103
- Calcium hydroxyapatite, antibiotic-impregnated, for osteomyelitis, 346-347**
- Cancer, metastasis from, to nail, 620**
- Candida, onychomycosis due to, 551-553, 568**
- Capsulotomy, in digital arthrodesis, 20**
- Carbon dioxide laser therapy, for periungual verrucae, 657**
- Casting**
for arthrodesis nonunion, 430
for Charcot foot, 272-273, 277
- Cavovarus deformity, naviculocuneiform arthrodesis for, 8**
- Center of rotation of angulation (CORA), in deformity correction planning, 306, 317-321**
- Charcot foot and ankle, 271-289**
arthrodesis of
Achilles tendon lengthening in, 276
bone graft in, 276
case studies of, 278-287
clinical series of, 275-276
complications of, 278
costs of, 276
fixation for, 274-275
indications for, 273
literature review of, 274-275
postoperative care in, 277
preoperative evaluation of, 273-274
timing of, 274
nonoperative management of, 272-273
- CHATS score, for nail dystrophies, 684-685**
- Chemical matricectomy, for onychocryptosis, 626-627**
- Chemical therapy, for periungual verrucae, 656-657**
- Chevron nails, 641**
- Chopart's amputation, pantalar arthrodesis after, 462-463**
- Chrisman-Snook ligament reconstruction, for subtalar joint instability, 455**
- Chromonychia, white, 667-669**
- Ciclopirox**
for onycholysis, 673
for onychomycosis, 560-561
in nail lacquer, 602, 608-610, 613
- Ciemy-Mader classification, of osteomyelitis, 335-337**
- Cimetidine, for periungual verrucae, 659**
- Ciprofloxacin, for osteomyelitis, 348**
- Closed reduction, of tarsometatarsal (Lisfranc) joint fracture-dislocation, 117-120**
- Clubbing, nail, 633**
- Color changes, in nails, 636-637**
- Compressed bridging technique, for arthrodesis nonunion, 436**
- Computed tomography**
before pantalar arthrodesis, 465-466
in arthrodesis nonunion, 427
in Lisfranc fracture-dislocation, 116
in nail tumors, 493
in osteoid osteoma, 509
in osteomyelitis, 343
in subtalar pathology, 189-190
- Concave nails, 641**

- Congenital nail disorders, 642-643
- CORA (center of rotation of angulation), in deformity correction planning, 306, 317-321
- Comeocytes, structure of, 485
- Cryotherapy
for onychocryptosis, 626-627
for periungual verrucae, 655-656
- Cuboid syndrome, 129-130
- Cuboidometatarsal joint, pathologies of, **129-139**
arthrodesis for, 136-139
treatment algorithm for, 133-138
types of, 129-133
- Culture
in onychomycosis, 572, 574-576
of fungi, 536
- Curettage, in triple arthrodesis, 217-218
- Cyanosis, nail clubbing in, 633
- Cyclosporine, onychocryptosis due to, 620
- Cyst(s), of nail, imaging of
epidermoid, 501-502
mucoid, 499-501
-
- D**
- Dactylitis, radiography in, 527-528, 530
- Dead space management, for osteomyelitis, 346-347
- Debridement
for onychomycosis, 592
for osteomyelitis, 345-346
- Deformity correction
equinovarus, pantalar arthrodesis for, 461-462
osteotomies for, **353-370**
in arthrodesis malunion, 376, 381
in fracture malunion, 387
in triple arthrodesis revision, 408-413
planning for, **305-326**
calcaneal, 316-317
definitions of, 309-310
evaluation of, 305-309
frontal plane, 321-323
in fixed compensatory motion, 325
osteotomy rules for, 317-321
radiography in, 305-309
sagittal plane, 323-325
talar, 313-315
tibial, 310-313
- Delayed union, of hindfoot arthrodesis, versus nonunion, 426
- Depressions, in nails, 642
- Dermatofibroma, of nail, imaging of, 505
- Dermatophyte(s), onychomycosis due to
biology of, 537-538
Epidermophyton, 541-542
Microsporum, 538-540
- Dermatophyte test medium, in onychomycosis, 606
- Dermoepidermal junction, 484
- Desmosomes, 484-485, 488
- Diabetes mellitus
acral ulceration in, radiography in, 525-527
nail injury in, radiography in, 523-524
onychomycosis in, 559, 612
- Diabetic neuropathy, Charcot joints in.
See Charcot foot and ankle.
- Diffuse idiopathic skeletal hyperostosis, radiography in, 530
- Digital arthrodesis, **17-50**
complications of, 46-50
end-to-end, 17-18, 21-26
historical review of, 17-18
in osteopenia, 30-31
incisional approach to, 19-21
new technologies for, 31-41
peg-in-hole, 17-18, 26-30, 34, 38
postoperative management in, 41-46
technique for, 18-19
- Dislocation
of lateral column, 131
of Lisfranc complex. *See under*
Tarsometatarsal (Lisfranc) joint.
- Distal and lateral subungual onychomycosis, 568-570
- Distal Symes amputation, for onychopathy, **689-696**
- Dupuytren's-type subungual exostosis, radiography in, 516-518
-
- E**
- Elderly persons
onychomycosis in, 586, 612
onychorrhexis in, 666
triple arthrodesis in, 212-213
- Electrical bone stimulators, for arthrodesis nonunion, 430-432

- Electron microscopy, in nail anatomy studies, 487-491
- Electrosurgical techniques, for onychocryptosis, 626-627
- Endonyx onychomycosis, 569
- End-to-end arthrodesis, digital, 17-18, 21-26
- Epidermoid cysts, of nail, imaging of, 501-502
- Epidermophyton*, onychomycosis due to, 541-542, 567-568
- Epithelial tumors, of nail, 501-504
- Eponychium (cuticle), anatomy of, 482
- Equinovarus deformity, pantalar arthrodesis for, 461-462
- Equinus deformity, naviculocuneiform arthrodesis for, 148-149, 152-153
- Erythrocyte sedimentation rate, in osteomyelitis, 338
- ESKA ankle implant, 397, 399
- Excisional matricectomy, for onychocryptosis, 627-628
- Exostosis
of distal phalanges, radiography in, 516-518
subungual, imaging of, 508
- Extensor retinaculum, anatomy of, 450
- External fixation
for arthrodesis, 1-15
ankle, 10
Charcot foot and ankle, 275, 279, 281-282
disadvantages of, 3
first metatarsophalangeal, 4-5, 83
midtarsal, 6-7
pantalar, 11-12
principles of, 1-4
tarsometatarsal (Lisfranc), 5-6
tibio calcaneal, 10-11
tibiotarso calcaneal, 11-12
triple, 7-10, 221
for arthrodesis malunion, 377
for arthrodesis nonunion, 433, 435
- Extracorporeal shockwave therapy, for plantar fasciitis, 441-447
- F**
- Fasciitis, plantar, extracorporeal shockwave therapy for, 441-447
- Fault, naviculocuneiform, arthrodesis for, 145-151
- Fibrokratomata, of nail, imaging of, 505
- Fibrous tumors, of nail, imaging of, 505
- Fibula
bone graft from, 329
fractures of, malunion of
correction of, 354-358
revision of, 385-391
osteotomy of, for ankle deformity correction, 354-358
- Fixation. *See also* External fixation; Internal fixation.
for arthrodesis
first interphalangeal joint, 56-61
first metatarsophalangeal, 255-256
talonavicular, 234-236
tarsometatarsal, 259
triple, 220-221
- Flail toe deformity, in digital arthrodesis, 47
- Fluconazole, for onychomycosis, 584, 594-595
- Footwear. *See* Shoes.
- Four-screw ankle arthrodesis, 168-176
- Fractures
calcaneal
block distraction arthrodesis for, 241-250
subtalar arthrodesis for, 180-181, 193
malunion or nonunion of, correction of ankle, 385-391
fibular, 354-358
Jones, 445
tibial, 358-368
- Freon 12 cryotherapy, for periungual verrucae, 656
- Fungal infections, of nail. *See* Onychomycosis.
- Fungoid Tincture, for onychomycosis, 610-611
- Furrows, in nail
Beau's lines, 632, 642, 669-671
onychorrhhexis, 665-667
- Fusion. *See* Arthrodesis.
- G**
- Gait, evaluation of
after talonavicular arthrodesis, 229
in subtalar pathology, 185-186
- Giant cell tumors, tenosynovial, imaging of, 503-505

Glomus tumors, nail
imaging of, 494-499
versus onychocryptosis, 619

Gout, radiography in, 528

Grafts, bone. *See* Bone grafts.

Griseofulvin, for onychomycosis, 579-580

Grocott's methenamine silver stain, in
onychomycosis, 572-573, 575-576

H

Half-and-half nail, 637

Hallux

distal Symes amputation of, 689-696
interphalangeal joint arthrodesis in,
51-64

Hallux limitus

metatarsocuneiform arthrodesis for, 98
onycholysis from, 671

Hallux valgus, correction of

in triple arthrodesis, 222
metatarsocuneiform arthrodesis for,
97-111
revision arthrodesis after, 252-256

Haploonychia, 677-678

Healing

of bone, 420-423
of first metatarsophalangeal arthrodesis,
87, 89

Hemangioma, of nail, imaging of, 505

Hemochromatosis, onychorrhexis in, 666

Hemorrhage, splinter, in nail bed, 635

Herringbone nails, 641

Hindfoot, arthrodesis of, nonunion of. *See*
Nonunion, of hindfoot arthrodesis.

Hintegra ankle implant, 402

Histologic examination, in onychomycosis,
572-573, 575-576

Hood syndrome, nail disorders in, 642-643

Human immunodeficiency virus infection
nail pathology in, 638-639
onychomycosis in, 612

Human papillomavirus, verrucae due to, 651

Hydroxyapatite, antibiotic-impregnated, for
osteomyelitis, 346-347

Hyponychium

anatomy of, 481
ultrastructure of, 490

Hypoxia, at birth, nail disorders due to,
643-644

I

Iliac crest, bone graft from, 328

Ilizarov technique. *See also* External fixation.
for arthrodesis nonunion, 436-437

Imiquimod, for periungual verrucae, 658

Immobilization, for arthrodesis nonunion, 430

Immunodeficiency, onychomycosis in, 612

Immunotherapy, for periungual verrucae,
658-659

Implant arthroplasty, of first metatarsophalan-
geal joint, failure of, revision arthrodesis
for, 252-256

Infections. *See also* Osteomyelitis.

of ankle arthrodesis malunion, 376, 383
of Charcot foot and ankle
arthrodesis, 278
of nail. *See* Nail(s), infections of.

Ingrown nail. *See* Onychocryptosis
(ingrown nail).

Internal fixation

for arthrodesis nonunion, 433
for first metatarsophalangeal arthrodesis,
77-84

Interosseous talocalcaneal ligament

anatomy of, 450
injury of, 452
reconstruction of, in subtalar instability,
456-457

Interphalangeal joint(s)

arthrodesis of. *See also*
Digital arthrodesis.

first, 51-64
bone cuts in, 53-56
case report of, 62
fixation for, 56-61
incisional approach to, 52-53
indications for, 51-52
osteoarthritis of, 528
psoriatic arthritis of, 529-530

Intramedullary nail

for ankle joint arthrodesis malunion,
377-378, 380
for pantalar arthrodesis, 467

Isopropyl alcohol, for onycholysis, 673

Itraconazole, for onychomycosis, 559-560,
581-584
advertising of, 591-592
in pediatric patients, 648

in sequential therapy, 586
monitoring of, 599-601
selection of, 594-596

J

Jamshidi needle, for bone biopsy, 343-344

Jones fractures, nonunion of, extracorporeal shockwave therapy for, 445

K

Kaposi's sarcoma, of nail, imaging of, 505

Keratoacanthoma, of nail, imaging of, 503

Ketoconazole, for onychomycosis, 581

Kirschner wires

- for digital arthrodesis, 23-29
- for first interphalangeal joint arthrodesis, 56-58
- for first metatarsophalangeal arthrodesis, 77-80
- for metatarsocuneiform arthrodesis, 101
- for tarsometatarsal (Lisfranc) joint fracture-dislocation, 120

Knuckle pads, imaging of, 505

Koener's tumor, of nail, imaging of, 505

Koilonychia, 633-634, 641

Koutsogiannis procedure, with talonavicular arthrodesis, 231

L

Lacquers, nail, for onychomycosis, 602, 608-610, 613

Lapidus procedure, for hallux valgus, 97-111

Larsen procedure, for subtalar joint instability, 456-457

Laser therapy

- for onychocryptosis, 626-627
- for periungual verrucae, 657-658

Lateral column, pathologies of, 129-139

- arthrodesis for, 136-139
- treatment algorithm for, 133-138
- types of, 129-133

Leg-length discrepancy, in ankle arthrodesis, 375, 382

Leukonychia, 636-637, 667-669

Levofloxacin, for osteomyelitis, 348

Lichen planus, of nail, 577
onychorrhexis in, 665
ventral pterygium in, 682

Linezolid, for osteomyelitis, 348

Liquid nitrogen cryotherapy, for periungual verrucae, 655-656

Liquipatch, for onychomycosis, 613

Lisfranc joint. *See* Tarsometatarsal (Lisfranc) joint.

Longitudinal melanonychia, 678-681

Lovibond's angle, 633

Lunula

- anatomy of, 482
- systemic disease manifestations in, 637-639

Lymphedema, yellow nail syndrome in, 636

M

McCarthy's onychopathy. *See* Nail(s).

Magnetic resonance imaging

- in nail disorders, 513, 515
- epidermoid cyst, 502
- fibrous tumors, 505
- glomus tumors, 495-499
- keratoacanthoma, 503
- mucoid cyst, 499-500
- neuroma, 506, 508
- onychomatricoma, 503
- osteocartilaginous tumors, 508-509
- tenosynovial giant cell tumors, 503-505
- tumors, 494
- vascular tumors, 505-506
- in osteomyelitis, 343
- in subtalar pathology, 189

Malalignment, radiography in, 295-304

Malleolus, fractures of, malunion of, revision of, 385-391

Malunion, revision or repair of
in ankle arthrodesis, 371-383
in ankle fractures, 385-391
in triple arthrodesis, 407-415

Manipulation, for lateral column pathology, 134-135

Mann procedure, for subtalar joint instability, 457

Matricectomy

- for onychocryptosis, 624-627
- for periungual verrucae, 658

Mechanical axes, in radiography, 296-297, 309-310

Melanoma, subungual, 619
versus longitudinal melanonychia, 681

Melanonychia, longitudinal, 678-681

Merkel cell tumor, of nail, 620

Metastasis, to nail, 620

Metatarsocuneiform joint, first, arthrodesis of, 97-111
adjunct procedures with, 103
clinical outcomes of, 103-110
examination for, 98
indications for, 98
technique for, 98-103

Metatarsophalangeal joint(s), arthrodesis of.
See also Digital arthrodesis.

first, 65-95
bone graft in, 66, 82
external fixation for, 4-5
fixation for, 66-67
historical review of, 65-66
incisional approach to, 67-69
internal fixation for, 77-84
joint resection in, 69-74
position of fusion in, 74-77
postoperative management in, 84-86
revision of, 253-256

Metatarsus primus adductus,
metatarsocuneiform arthrodesis for, 98

Methenamine silver stain, in onychomycosis, 572-573, 575-576

Microscopy, in onychomycosis, 606

Microsporum, onychomycosis due to, 567-568

Microsporum audouinii, onychomycosis due to, 538

Microsporum canis, onychomycosis due to, 539-540

Microsporum ferrugineum, onychomycosis due to, 539

Microsporum gypsum, onychomycosis due to, 538

Midtarsal joint
arthrodesis of, external fixation for, 6-7
evaluation of, in triple arthrodesis, 208

Morton's neuroma, extracorporeal shockwave therapy for, 445

Mucoid cysts, of nail, imaging of, 499-501

Muehrcke's lines, 637

Mycocide NS, for onychomycosis, 611

Mycosis, of nail. *See* Onychomycosis.

N

Nail(s)

absence of, 642, 663-665
anatomy of, 477-491, 565-567, 632
developmental, 477-480
electron microscopic, 487-491
gross, 481-483
ultrastructural, 483-487
biopsy of, in onychomycosis, 570-571
brittle, 666, 677
chevron, 641
clubbing of, 633, 644-645
concave, 641
congenital disorders of, 642-643
cross section of, 490, 566
depressions in, 642
development of, 641
dystrophies of, 663-687
absence (anonychia), 642, 663-665
Beau's lines, 632, 642, 669-671
broad deformity, 531
clubbing, 633
differential diagnosis of, 577
furrowing (onychorrhexis), 665-667
fusion (ventral pterygium), 681-683
hypoplasia, 665
in onychomycosis, 569-570
in osteochondroma, 514-518
pigmented (melanonychia), 637, 678-681
pitting, 634, 641
separation
distal free edge (onychoschizia), 676-677
distal to proximal (onycholysis), 634-635, 671-674
proximal (onychomadesis), 674-676
severity scoring in, 683-685
softening (haplonychia), 677-678
thickness abnormalities (onychoatrophia), 663
twenty nail, 643
white (leukonychia), 636-637, 667-669
embryology of, 477-480
fungal disorders of. *See* Onychomycosis.

- growth of, 483
 irregular
 2, 669-671
 Beau's lines in, 669-671
 half-and-half, 637
 herringbone, 641
 imaging of, **513-532**
 magnetic resonance imaging in,
 513, 515
 radiography in, 515-531
 in Hood syndrome, 642-643
 infections of. *See also*
 Onychomycosis; Paronychia.
 in onychocryptosis, 620-621
 in pediatric patients, 645-646
 ingrown. *See* Onychocryptosis
 (ingrown nail).
 injury of, radiography in, 519-524
 lichen planus of, 577, 665, 682
 misalignment of, 642
 normal dimensions of, 481
 normal variants of, 641-642
 oblique markings in, 641
 partial amputation of, **689-696**
 perinatal influences on, 643-644
 pincer, 622-623, 642
 pitted, 634, 641
 plumber's, 673
 psoriasis of, 577
 rough, 642
 spoon-shaped, 633-634, 641
 structural defects of, 642-643
 supernumerary, 642
 systemic disease manifestations in,
 631-640
 clubbing, 633
 color changes, 636-637
 koilonychia, 633-634
 lunula changes, 637-639
 nail plate changes, 632
 onycholysis, 634-635
 pitting, 634
 splinter hemorrhages, 635
 teratogen effects on, 643
 thickness of, 483
 in pediatric patients, 642
 trimming of, onychocryptosis related
 to, 618
 tumors of
 imaging of, **493-511**
 versus onychocryptosis, 619-620
 ulcers of, radiography in, 525-527
 verrucae of, **651-661**
 white spots in, 641
- Nail bed, anatomy of, 488
- Nail fold, anatomy of, 489
- Nail groove, development of, 478
- Nail patella syndrome, 642-643
- Nail plate
 abrasion of, for onychocryptosis, 627
 anatomy of, 481, 485, 487, 566-567
 development of, 478-479
 fusion of, 681-683
 removal of, for onychocryptosis,
 622-624
 separation of
 distal free edge (onychoschizia),
 676-677
 distal to proximal (onycholysis),
 634-635, 671-674
 proximal (onychomadesis),
 674-676
 softening of (haplonychia), 677-678
 systemic disease manifestations in, 632
- Naviculocuneiform arthrodesis, **141-156**
 complications of, 153-154
 in arthritis, 142-145
 in collapse or fault, 145-151
 in equinus deformity, 148-149,
 152-153
 postoperative course in, 153
- Nerve injury, in ankle arthrodesis malunion
 revision, 382
- Nervous tumors, of nail, imaging of, 506, 508
- Neurologic disorders
 hallux deformities in, interphalangeal
 joint arthrodesis in, 51-52
 in naviculocuneiform arthrodesis, 154
- Neuroma
 Morton's, extracorporeal shockwave
 therapy for, 445
 of nail, imaging of, 506, 508
- Neuropathic arthropathy. *See* Charcot foot
 and ankle.
- Nonunion
 extracorporeal shockwave therapy
 for, 445
 of ankle joint arthrodesis revision, 382
 of digital arthrodesis, 46-47
 of hindfoot arthrodesis, **417-439**
 bone healing and, 420-423
 classification of, 423-425
 definition of, 426
 diagnosis of, 425-429
 epidemiology of, 417
 nonsurgical treatment of, 430-432
 risk factors for, 417-419
 surgical treatment of, 432-437
 versus delayed union, 426
 of naviculocuneiform arthrodesis, 154
 of talonavicular arthrodesis, 238-239

O

- Obesity, triple arthrodesis in, 207
- Occupational exposures, onychorrhexis in, 665
- Onychotrophia, 663
- Onychocryptosis (ingrown nail), **617-630**
definition of, 617
differential diagnosis of, 619-620
in antifungal treatment, 586
in pediatric patients, 646-647
incidence of, 617-618
pathophysiology of, 618
staging of, 620-621
treatment of, 621-628
 chemical techniques in, 626-627
 cryotherapy in, 626-627
 electrosurgical, 626-627
 excisional techniques in, 627-628
 laser, 626-627
 matricectomy in, 624-627
 nail plate abrasion in, 627
 nail plate removal in, 622-624
 nonsurgical, 621
 radiowave techniques in, 626-627
- Onycholysis, 634-635, 671-674
- Onychomadesis, 674-676, 683-685
- Onychomalacia (haplonychia), 677-678
- Onychomatricoma, 503
- Onychomycosis, **533-553**
agents of, 567-568, 605
 Aspergillus, 546-551
 Candida, 551-553, 568
 culture of, 536
 distribution of, 534-535
 Epidermophyton, 541-542, 567-568
 Microsporum, 538-540, 567-568
 scanning electron microscopy of, 548-549
 structures of, 537-538
 Trichophyton, 543-546, 567-568
 yeasts, 551-553, 568
classification of, 555-556
culture in, 597-598
definition of, 567, 605
diagnosis of, 556-557, **565-578**, 605-606
 anatomic considerations in, 565-567
 confirmatory tests in, 571-573
 differential, 577
 disease types and, 567-569
 methods for, 570-571, 574-576
differential diagnosis of, 606
distal and lateral subungual, 568-570
endonyx, 569
epidemiology of, 567, 605
in HIV infection, 638-639
in pediatric patients, 648
pathogenesis of, 535-536
physiologic consequences of, 557-558
proximal subungual, 569-570
psychosocial consequences of, 557-558
reinfection in, 601-603
risk factors for, 559
superficial white, 569-570
total dystrophic, 569-570
treatment of, **555-564**
 current recommendations for, 560-561
 evolution of, 559
 failure of, 557-559, 561-562
 monitoring of, 599-601
 reasons for, 557-558
 skin treatment with, 602
 systemic/oral, **579-589, 591-604**
 topical, **605-615**
- Onychorrhexis, 665-667
- Onychoschizia, 676-677
- Open reduction, of tarsometatarsal (Lisfranc) joint fracture-dislocation, 120-124
- Oral antifungal agents, for onychomycosis, **579-589, 591-604**. *See also specific agents.*
advertising of, 591-592
contraindications for, 593
costs of, 594
culture before, 597-598
footwear treatment with, 603
in reinfections, 601-603
indications for, 593
monitoring of, 599-601
patient education on, 603
patient selection for, 591-594
selection of, 594-597
skin treatment with, 602
topical agents with, 602
- Orthosis, for ankle arthrodesis malunion, 375
- OssaTron, for plantar fasciitis, **441-447**
- Osteoarthritis
ankle arthrodesis for, 163-164
of interphalangeal joints, 528
pantalar arthrodesis for, 462
- Osteoarthropathy, Charcot. *See* Charcot foot and ankle.
- Osteocartilaginous tumors, of nail. imaging of, 508-509
- Osteochondroma, nail dystrophy in, 514-518
- Osteoid osteoma, of nail, imaging of, 509

Osteomyelitis, 335-351
 classification of, 335-337
 clinical presentation of, 337-339
 imaging in, 339-343
 in naviculocuneiform arthrodesis, 154
 of toe, radiography in, 526-527
 organisms causing, 335
 pathogenesis of, 335-337
 treatment of, 345-348

Osteo-onycho-dysplasia, 642-643

Osteopenia, digital arthrodesis in, 30-31

Osteosynthesis, in ankle joint arthrodesis malunion, 377

Osteotomy
 for ankle deformity correction, **353-370**
 distal tibial
 metaphyseal, 358-363
 metaphyseal-diaphyseal, 363-368
 fibular, 354-358
 goals of, 354
 in arthrodesis malunion, 376, 381
 in fracture malunion, 387
 indications for, 353
 for triple arthrodesis revision, 409
 case study of, 410-413
 closing wedge, 408-409
 opening wedge, 408
 plantar-based wedge, 409
 of calcaneus, with metatarsocuneiform arthrodesis, 103
 rules of, 317-321

P

Pachyonychia, in pediatric patients, 642

Pain

in lateral column pathology, 130-131
 relief of
 subtalar arthrodesis for, 180-184
 triple arthrodesis for, 206

Pantalar arthrodesis, 11, 461-470
 external fixation for, 11-12
 indications for, 461-463
 postoperative course of, 468-470
 preoperative evaluation in, 463-464
 radiography in, 464-466
 technique for, 467-468

Paronychia, in pediatric patients, 645-646

Patient education, on onychomycosis, 603

Pediatric patients
 nail disorders in, **641-650**
 congenital, 642-643
 infections, 645-646

ingrown nails, 620, 646-647
 medical history and, 643-645
 onychomycosis, 648
 surgery for, 647-648
 versus normal variants, 641-642
 triple arthrodesis in, 206-207

Peg-in-hole arthrodesis, digital, 17-18, 26-30, 34, 38

Periodic acid-Schiff stain, in onychomycosis, 572-573, 575-576, 598

Peroneal tendons, evaluation of, in subtalar pathology, 187

Pigmented nails, 636-637
 longitudinal, 678-681

Pin fixation. See also External fixation.
 for digital arthrodesis, 31-32

Pincer nails, 622-623, 642

Pisani procedure, for subtalar joint instability, 456

Pitted nails, 634, 641

Plantar ecchymosis sign, in Lisfranc fracture-dislocation, 114

Plantar fascia, release of, lateral column pain after, 132

Plantar fasciitis, extracorporeal shockwave therapy for, 441-447

Plantar plate, release of, in digital arthrodesis, 20

Plate fixation
 for first metatarsophalangeal arthrodesis, 81-82
 for metatarsocuneiform arthrodesis, 101, 103, 106
 for naviculocuneiform arthrodesis, 143

Plumber's nail, 673

Plummer-Vinson syndrome, onychorrhexis in, 666

Poisoning, leukonychia in, 668-669

Polymethylmethacrylate cement, antibiotic-impregnated, for osteomyelitis, 346

Polyonychia, 642

Posaconazole, for onychomycosis, 587

Potassium hydroxide test, in onychomycosis, 571, 574, 576, 598, 606

Proliferant therapy, for lateral column pathology, 135-136

Prolotherapy (proliferant therapy), for lateral column pathology, 135-136

Proximal subungual onychomycosis, 569-570

Psoriasis, of nail, 577
 leukonychia in, 668
 onychorrhexis in, 665

Psoriatic arthritis, of interphalangeal joints, 529-530

Pterygium, ventral, 681-683

Pulsed-dye laser therapy, for periungual verrucae, 657-658

R

Radiography, **295-304**. *See also specific disorders and procedures.*
 history of, 295-296
 in nail tumors, 493
 normal joint orientation and, 297-299
 principles of, 295-297
 views in, 299-303
 Brodén's, 454-455
 frontal plane, 303
 sagittal plane, 299-301
 transverse plane, 301-302

Radiwave techniques, for onychocryptosis, 626-627

Ramsey ankle implant, 402-403

Ravuconazole, for onychomycosis, 587

Reconstructive surgery
 ankle osteotomy in, **353-370**
 bone grafts for, **327-334**
 deformity correction planning in, **305-326**
 in ankle arthrodesis malunion, **371-383**
 in ankle fracture malunion, **385-391**
 in hindfoot fusion nonunion, **417-439**
 in osteomyelitis, **335-351**
 in subtalar joint instability, **449-460**
 in triple arthrodesis malalignment, **407-415**
 pantalar arthrodesis in, **461-470**
 radiography for, **295-304**
 total ankle implants for, **393-406**
 versus extracorporeal shockwave therapy, **441-447**

Revision arthrodesis, **251-270**
 ankle, 252, 266-268
 first metatarsophalangeal joint, 252-256
 literature review of, 252-253
 subtalar, 260-266
 tarsometatarsal, 256-260
 triple, 260-266

Rheumatoid arthritis
 metatarsocuneiform arthrodesis for, 107
 pantalar arthrodesis for, 462

subtalar arthrodesis for, 181, 194
 talonavicular arthrodesis for, 229-230

Ryerson incision, for triple arthrodesis, 213-215

S

Salicylic acid, for periungual verrucae, 656-657

Salto ankle implant, 404

Sarcoma, Kaposi's, of nail, imaging of, 505

Scandinavian Total Ankle Replacement, 400

Schon procedure, for subtalar joint instability, 457

Scintigraphy, bone
 in arthrodesis nonunion, 427, 429
 in osteoid osteoma, 509
 in osteomyelitis, 339, 341

Screw fixation, for arthrodesis
 ankle, 164, 168-176, 377
 first interphalangeal joint, 58-61
 first metatarsophalangeal joint, 79-81
 metatarsocuneiform, 101-102
 naviculocuneiform, 143-145
 talonavicular, 235-236
 triple, 220-221

Shockwave therapy, for plantar fasciitis, **441-447**

Shoes
 for digital arthrodesis, 42-43, 45
 for lateral column pathology, 133-134
 onychocryptosis related to, 618
 onycholysis from, 671
 treatment of, in fungal infections, 603

Silfverksiolt test, 231

Smoking, onychomycosis and, 559

Soaks, for onychocryptosis, 621

Splinter hemorrhages, in nail bed, 635

Spoon-shaped nails, 633-634, 641

Spots, in nails, 641

Sprains. *See also* Subtalar joint, instability of.
 lateral column, 131-132

Squamous cell carcinoma, subungual, 619

Staphylococcus aureus, in osteomyelitis, 335, 348

Stayfuse interdigital fusion device, for arthrodesis, 32-33, 35, 40-41

Subtalar joint

- arthrodesis of, **179-201**. *See also*
 - Pantalar arthrodesis;
 - Triple arthrodesis.
- clinical signs and symptoms and, 184-185
- complications of, 198-199
- fixation for, 194-195
- for ankle arthrodesis malunion, 376
- for failed calcaneal fractures, **241-250**
- in triple arthrodesis, 7-10
- indications for, 180-184
- physical examination for, 185-187
- postoperative management in, 198
- radiography for, 188-192
- revision, 260-266
- technique for, 192-198
- evaluation of, in triple arthrodesis, 208
- instability of, **449-460**
 - anatomic considerations in, 449-451
 - biomechanics of, 451-452
 - diagnostic evaluation of, 453-455
 - mechanism of injury in, 452-453
 - radiography in, 454
 - treatment of, 455-458
- normal alignment of, 297-299

Subungual exostosis, imaging of, 508

Subungual melanoma, versus longitudinal melanonychia, 681

Sulfamethoxazole, for osteomyelitis, 348

Superficial white onychomycosis, 569-570

Supramalleolar osteotomy

- for ankle arthrodesis malunion, 376, 381
- for deformity correction, 358-363

Supratarsal osteotomy, for deformity correction, 358-363

Symes amputation, distal, for onychopathy, **689-696**

T

Talocalcaneal coalition, subtalar arthrodesis for, 183-184, 187, 189

Talocalcaneal ligament, lateral, anatomy of, 450

Talocalcaneonavicular joint, anatomy of, 450

Talocrural joint, arthrodesis of, malunion of, repair of, **371-383**

Talofibular ligament, anterior, reconstruction of, in subtalar instability, 456-457

Talonavicular joint, arthrodesis of, 7-10, **227-240**. *See also* Pantalar arthrodesis; Triple arthrodesis.

- anatomic considerations in, 228-229
- biomechanical considerations in, 228-229
- complications of, 236-239
- external fixation for, 6-7
- historical review of, 227-228
- in triple arthrodesis, 7-10
- indications for, 229-231
- technique for, 231-236

Talus

- anatomy of, 449
- deformities of, correction of, 313-315

Tarsometatarsal (Lisfranc) joint

- anatomy of, 113-114
- arthrodesis of
 - external fixation for, 5-6
 - revision, 256-260
- fracture-dislocation of, **113-128**
 - classification of, 116-117
 - closed reduction of, 117-120
 - complications of, 124-126
 - diagnosis of, 114-116
 - mechanism of, 114
 - open reduction of, 120-124

Tazarotene, for onycholysis, 674

Tea-tree oil, for onychomycosis, 611

Technetium 99m imaging, in osteomyelitis, 341

Tendonopathy, Achilles, extracorporeal shockwave therapy for, 444-445

Tenosynovial giant cell tumors, imaging of, 503-505

Teratogens, nail disorders due to, 643

Terbinafine, for onychomycosis, 559-560, 584-586

- advertising of, 591-592
- in pediatric patients, 648
- in sequential therapy, 586
- monitoring of, 599-601
- onychocryptosis due to, 620
- selection of, 594, 596-597

Terpinen-4-ol, for onychomycosis, 611

Tibia

- bone graft from, 328-329
- deformities of, correction of, 310-313
 - frontal plane, 321-323
 - sagittal plane, 323-325
- fractures of, malunion of, correction of, 358-368

- normal alignment of, 297-299
osteotomy of, for ankle deformity correction, 358-363
- Tibial tendon dysfunction, posterior**
naviculocuneiform arthrodesis in, 145-151
subtalar arthrodesis for, 181-184, 187, 194
- Tibiocalcaneal joint, arthrodesis of, external fixation for, 10-11**
- Tibiofibular ligaments, anatomy of, 450**
- Tibiotalar joint, arthrodesis of. See Ankle, arthrodesis of.**
- Tibiotalar joint, arthrodesis of, external fixation for, 11-12**
- Tinea pedis**
in pediatric patients, 648
onychomycosis with, treatment of, 602
- TNK ankle implant, 397-398**
- Toe(s)**
arthrodesis in. *See* Digital arthrodesis.
deformities of, correction of, in triple arthrodesis, 222
distal Symes amputation of, 689-696
- Toenail(s). See Nail(s).**
- Topical agents, for onychomycosis, 605-615**
combination, 613
in diabetes mellitus, 612
in elderly persons, 612
in immunodeficiency, 612
indications for, 607
miscellaneous, 610-611
nail lacquers, 602, 608-610, 613
new, 613
urea ointment plus antifungals, 607-608
- Total ankle arthroplasty. See Ankle joint, total arthroplasty of.**
- Total dystrophic onychomycosis, 569-570**
- Trachyonychia, 642, 666**
- Transmalleolar osteotomy, for deformity correction, 358-363**
- Trichophyton, onychomycosis due to, 567-569**
- Trichophyton mentagrophytes, onychomycosis due to, 543-544**
- Trichophyton rubrum, onychomycosis due to, 545-546**
- Triple arthrodesis, 7-10, 203-226, 260-266**
age considerations in, 212-213
ancillary procedures with, 221-222
complications of, 223
external fixation for, 7-10
fixation of, 220-221
for ankle arthrodesis malunion, 376
for pediatric patients, 206-207
goals of, 204-205
incision for, 213-217
indications for, 204-205
joint preparation in, 217-218
literature review of, 203-204
malunion of, 407-415
case study of, 410-413
forefoot, 409
rearfoot, 408-409
position for, 218-220
postoperative management in, 222-223
preoperative considerations in, 206-213
revision, 260-266
- Tumor(s), nail, imaging of, 493-511**
epithelial, 501-504
glomus, 494-499
modalities for, 493-494
mucoid cysts, 499-501
osteocartilaginous, 508-509
soft tissue, 503, 505-508
- Twenty nail dystrophy, 643**
-
- U**
- Ulcer(s)**
acral, in diabetes mellitus, radiography in, 525-527
diabetic, Charcot foot and ankle arthrodesis for, 278-282
in osteomyelitis, 337-338
- Ultrasonography**
in nail disorders
fibrous tumors, 505
glomus tumors, 494-495
mucoid cysts, 499
neuroma, 506, 508
tumors, 494
in osteomyelitis, 343
- Unguis incarnatus. See Onychocryptosis (ingrown nail).**
- Union, delayed, of hindfoot arthrodesis, versus nonunion, 426**
- Urea ointment, with antifungal agents, for onychomycosis, 607-608**
-
- V**
- Vascular tumors, of nail, imaging of, 505-506**
- Ventral, pterygium, 681-683**

Verrucae, periungual, 651-661

differential diagnosis of, 652, 654

organism causing, 651

treatment of, 654-659

types of, 651-653

versus subungual verrucae, 651-653

Voriconazole, for onychomycosis, 587

W

Waldvogel classification, of osteomyelitis,
335-336

Warts, nail, 651-661

Weight-bearing examination, before pantalar
arthrodesis, 464

White nails (leukonychia), 636-637, 667-669

Wire fixation

in external fixation. *See* External fixation.

Kirschner wires in. *See* Kirschner wires.

Y

Yellow nail syndrome, 636

